


# DOUBLE MAINE BOARD RAIL GATE

## Double Gate Configuration

(4' & 6' FOOT WIDE 46" HIGH GATES)

REAR EYE HINGES (Product Codes #8324)

GATE HUNG BETWEEN POSTS



Distance between gate and hinge post	A
Width of Left Gate	B
Distance between gates	C
Width of Right Gate	D
Distance between gate and hinge post	E
Total distance between posts	F

### Hardware Required

	Galvanized Finish	Black Powder Coat over Galvanized Finish	Rear Eye Hinge Advantages					
Hinge Sets	1 of 8324-S122 & 1 of 8324-S182	1 of 8324-S12P & 1 of 8324-S18P	Opens 180 degrees Incredible amount of adjustment Easy operation & Very Strong Minimal distance between gate and post					
Fasteners are included with straps	Two Sets Include: 2 of 12" double strap (8324-122 or 8324-12SP) & 2 of 18" double strap (8324-182 or 8324-18SP) 4 of mounting plate with 8" adjustable threaded pins(8256-342 or 8256-34P)							
Mounting Plate Fasteners*	FP-8256-G x4	FP-8256-B x4						
Cane Bolt (Vertical)**	1 or 2 of 5000-242	1 or 2 of 5000-24SP						
	<b>Central Latch Options</b>		Dimensions (feet and inches)					
			A	B	C	D	E	F
Throw Over Gate Loop	4200-032	4200-03SP	1"	4'	1"	6'	1"	10' 3"
Slide Bolt Latch	5002-L122	5002-L12SP	1"	4'	1"	6'	1"	10' 3"

### Lumber Required

Posts	2 of 8' x 6" x 6" (usually dressed out at 5.5" x 5.5")
Rails, Stiles (uprights) and Diagonals	made from full 1" thick by 5.5" wide lumber (commonly stocked decking material or rough cut lumber)
Rails	3 of 8' x 1" x 5.5" and 3 of 12' x 1" x 5.5"
Stiles	4 of 8' x 1" x 5.5"
Diagonals	1 of 10' x 1" x 5.5" and 1 of 14' x 1" x 5.5"
Filler blocks for bottom hinge	1 of 8' x 1" x 5.5"


### Fasteners Required for Gate Construction

2 of FP-Maine- Fastener Pack for Maine Board Gate Build (Each pack includes 40 of 1.75" wood screws, 14 of 3.5" HDG carriage bolts nuts and washers)
*Mounting Plate Fasteners -20 of 3/8" carriage bolts for posts up to 5.5" thick <b>OR</b> Purchase separately 20 of 3/8" lag bolts (minimum of 4" long)
**One 24" Cane Bolt (5000-242 or 5000-24SP) is required for central stability. Two are needed if you require a means of keeping the gates open.


### SNUG COTTAGE HARDWARE

Download includes this materials list, component cutting and layout sheet, tips on installing gate posts, and detailed instructions.




For a complete listing of our free gate plans and gate layouts visit [snugcottagehardware.com](http://snugcottagehardware.com).








**FLAT FRONTAL VIEW**




**THREE LAYERS**




**COMPONENTS (FULL 1" THICK x 5-1/2" WIDE)**








**Snug Cottage Hardware**  
**4' Maine Board Gate**






**FLAT FRONTAL VIEW**



**COMPONENTS (FULL 1" THICK x 5-1/2" WIDE)**



**THREE LAYERS**



**Snug Cottage Hardware**  
5' Maine Board Gate